

## HEAVY TABLE TOP CARTS

A multifunctional modular system with the approved fetra-Insert-and-Bolt Principle • Stylish frame structure of „one cast“ with „round edges“ • Stylish and absolutely secure connection of frames and tubular supports • High quality powder coating blue RAL 5007 • Derived timber material boards housed in the frame, surface beech grain • 2 castors and 2 fixed wheels, wheels with solid rubber tyres, hubs with roller bearings • Castors with wheel locks





2400 | 2401 | 2402 | 2403



2420 | 2421 | 2422 | 2423

## Modular system

Tubular steel and sectional steel, welded and powder-coated, surface durably protected, resistant to impact and scratches, shelves made of derived timber material boards, surface beech grain.

2 castor wheels and 2 fixed wheels with solid rubber tyres 200 x 50 mm, or pneumatic tyres 200 x 70 mm, additional charge.

Castors with wheel locks, according to the European Standard EN 1757-3 (safety of platform trolleys).

### 2400

Solid rubber tyres  
160 x 40 mm  
Shelf heights 220/865

### 2401 | 2402 | 2403

Shelf heights:  
Solid rubber tyres: 270/905 mm  
Pneumatic tyres: 285/915 mm.

Capacity upper shelf = 200 kg.

### 2420

Solid rubber tyres:  
160 x 40 mm.  
Shelf heights:  
220/550/865 mm.

### 2421 | 2422 | 2423

Shelf heights:  
Solid rubber tyres:  
270/590/905 mm.

Pneumatic tyres:  
285/600/915 mm.

### 2442 | 2443

Shelf heights:  
270/590/905/1220 mm.

Pneumatic tyres:  
285/600/915/1230 mm.

Capacity upper and middle shelf = 200 kg.

### 1276 | 1277 | 1278 | 1279

Platforms with galvanized steel sheet plating, wear resisting and easy cleaning.

Platform mm	Order no.
850 x 500	1276
1000 x 600	1277
1000 x 700	1278
1200 x 800	1279

Accessories on page 92



2442 | 2443



1276 | 1277 | 1278 | 1279



#### Add-on kit

for table top carts, steel plate drawer with ball pull-out and cylinder lock.

Height x Width x Depth inside  
105 x 410 x 475 mm

(2 kits possible,  
for type 2400/2420  
no drawer available)



#### Drawer subdivision-set

made of galvanized steel sheet, insertable. 2 longitudinal partitions and 6 dividing sheets.

	Order no.	Capacity kg	Wheel Ø mm	Platform size L x W mm	No. of shelves	Net weight kg
Table top carts	2400	400	160	850 x 500	2	38
	2401	500	200	1000 x 600	2	47
	2402	500	200	1000 x 700	2	52
	2403	500	200	1200 x 800	2	61
	2420	400	160	850 x 500	3	51
	2421	500	200	1000 x 600	3	64
	2422	500	200	1000 x 700	3	70
	2423	500	200	1200 x 800	3	82
	2442	500	200	1000 x 700	4	88
2443	500	200	1200 x 800	4	107	
Add-on kit	2149	-	-	-	-	-
Drawer subdivision-set	2148 ES	-	-	-	-	-

## **TABLE TOP CARTS WITH TRAYS**

- Leak-proof welded steel plate trays • Especially appropriate for cleaned or lubricated items, as nothing drips on the floor
- Accurately manufactured • With horizontal or angular push handle
- Powder coated blue RAL 5007 • 2 castors and 2 fixed wheels, wheels with solid rubber tyres, hubs with roller bearings
- Castors with wheel locks



## Modular system

Table top cart, steel construction, welded. Tubular steel hoop and steel plate trays screwed. Trays oil-tight, rim 40 mm high, powder coated blue RAL 5007.

2 castor and 2 fixed wheels, solid rubber tyres, hubs with roller bearings. Castors with wheel locks, according to the European Standard EN 1757-3 (safety of platform trolleys).

Shelf heights:

4820 = 245/865 mm

4822 = 290/910 mm

4830 = 245/555/865 mm

4832 = 290/600/910 mm

4920 = 245/865 mm

4922 = 290/910 mm

4930 = 245/555/865 mm

4932 = 290/600/910 mm

Total heights:

4820/4830 = 865 mm

4822/4832 = 910 mm

4920/4930 = 1060 mm

4922/4932 = 1100 mm

Capacity of upper and middle shelf 200 kg.

## 2722

Top steel tray 100 mm high, oil-tight. Base with conical drain and drain tap 1/4".

Grid with mesh width of 31 x 31 mm, loosely inserted, flush at the top.

Lower steel plate tray 25 mm high, oil-tight.

2 castor wheels and 2 fixed wheels, solid rubber tyres, hubs with roller bearings. Castor wheels with lock.

Shelf heights: 195/890 mm.

Accessories on page 92



4820 | 4822



4830 | 4832



4920 | 4922



4930 | 4932



2722 With grid, catch tray, drain tap



2722 Example application

	Order no.	Capacity kg	Wheel Ø mm	Platform size L x W mm	No. of shelves	Net weight kg	
Table top carts	4820	400	160	850 x 500	2	37	
	4822	400	200	1000 x 700	2	50	
	4830	400	160	850 x 500	3	47	
	4832	400	200	1000 x 700	3	64	
	4920	400	160	850 x 500	2	37	
	4922	400	200	1000 x 700	2	50	
	4930	400	160	850 x 500	3	47	
	4932	400	200	1000 x 700	3	64	
	2722	250	125	1000 x 600	2	52	